

TSNARE1 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11310b**Specification**

TSNARE1 Antibody (C-term) - Product Information

Application	WB, FC, IHC-P,E
Primary Accession	O96NA8
Other Accession	NP_659440.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	55949
Antigen Region	363-391

TSNARE1 Antibody (C-term) - Additional Information**Gene ID** 203062**Other Names**

t-SNARE domain-containing protein 1, TSNARE1

Target/Specificity

This TSNARE1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 363-391 amino acids from the C-terminal region of human TSNARE1.

Dilution

WB~~1:1000

FC~~1:10~50

IHC-P~~1:50~100

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TSNARE1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TSNARE1 Antibody (C-term) - Protein Information**Name** TSNARE1


Cellular Location

Membrane; Single-pass membrane protein


TSNARE1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TSNARE1 Antibody (C-term) - Images

TSNARE1 Antibody (C-term) (Cat. #AP11310b) western blot analysis in NCI-H460 cell line lysates (35ug/lane). This demonstrates the TSNARE1 antibody detected the TSNARE1 protein (arrow).



TSNARE1 Antibody (C-term) (Cat. #AP11310b) immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of TSNARE1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



TSNARE1 Antibody (C-term) (Cat. #AP11310b) flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

TSNARE1 Antibody (C-term) - References

- Kimura, K., et al. Genome Res. 16(1):55-65(2006)
- Ota, T., et al. Nat. Genet. 36(1):40-45(2004)
- Strausberg, R.L., et al. Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903(2002)