

**FBXO47 Antibody (N-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP11336a****Specification**

---

**FBXO47 Antibody (N-term) - Product Information**

Application	IHC-P, WB,E
Primary Accession	<a href="#">Q5MNV8</a>
Other Accession	<a href="#">A2A6H3</a>
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	114-143

**FBXO47 Antibody (N-term) - Additional Information****Gene ID** 494188**Other Names**

F-box only protein 47, FBXO47

**Target/Specificity**

This FBXO47 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 114-143 amino acids from the N-terminal region of human FBXO47.

**Dilution**

IHC-P~~1:50~100

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

FBXO47 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**FBXO47 Antibody (N-term) - Protein Information****Name** FBXO47 {ECO:0000303|PubMed:28397838, ECO:0000312|HGNC:HGNC:31969}**Function** Probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation.

### Tissue Location


Widely expressed, with highest levels in kidney, liver and pancreas. Down-regulated in tumors

### FBXO47 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### FBXO47 Antibody (N-term) - Images



FBXO47 Antibody (N-term) (Cat. #AP11336a) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FBXO47 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



FBXO47 Antibody (N-term) (Cat. #AP11336a) western blot analysis in mouse kidney tissue lysates (35ug/lane). This demonstrates the FBXO47 antibody detected the FBXO47 protein (arrow).

### FBXO47 Antibody (N-term) - Background

Probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation (By similarity).

**FBXO47 Antibody (N-term) - References**

Simon-Kayser, B., et al. Genes Chromosomes Cancer 43(1):83-94(2005)