

ZFTA Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11349b**Specification**

ZFTA Antibody (C-term) - Product Information

Application	WB, IHC-P, IF,E
Primary Accession	C9JLR9
Other Accession	Q4VA45 , NP_001138408.1
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	556-584

ZFTA Antibody (C-term) - Additional Information**Gene ID** 65998**Other Names**

Zinc finger translocation-associated protein

Target/Specificity

This ZFTA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 556-584 amino acids from the C-terminal region of human ZFTA.

Dilution

WB~~1:1000

IHC-P~~1:50~100

IF~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZFTA Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZFTA Antibody (C-term) - Protein Information**Name** ZFTA ([HGNC:28449](#))


Synonyms C11orf95

ZFTA Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZFTA Antibody (C-term) - Images




Confocal immunofluorescent analysis of ZFTA Antibody (C-term) (Cat#AP11349b) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).



ZFTA Antibody (C-term) (Cat. #AP11349b) western blot analysis in HepG2 cell line lysates

(35ug/lane). This demonstrates the ZFTA antibody detected the ZFTA protein (arrow).



ZFTA Antibody (C-term) (Cat. #AP11349b) immunohistochemistry analysis in formalin fixed and paraffin embedded human adipose tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ZFTA Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

ZFTA Antibody (C-term) - References

Ota, T., et al. Nat. Genet. 36(1):40-45(2004)