

# **ZFTA Antibody (C-term)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11349b

# **Specification**

## **ZFTA Antibody (C-term) - Product Information**

Application WB, IHC-P, IF,E

Primary Accession C9|LR9

Other Accession Q4VA45, NP\_001138408.1

Reactivity
Predicted
Host
Clonality
Isotype
Antigen Region
Human
Mouse
Rabbit
Polyclonal
Rabbit IgG
S56-584

### **ZFTA Antibody (C-term) - Additional Information**

#### **Gene ID 65998**

#### **Other Names**

Zinc finger translocation-associated protein

#### Target/Specificity

This ZFTA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 556-584 amino acids from the C-terminal region of human ZFTA.

# **Dilution**

WB~~1:1000 IHC-P~~1:50~100 IF~~1:10~50

E~~Use at an assay dependent concentration.

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

ZFTA Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### **ZFTA Antibody (C-term) - Protein Information**

Name ZFTA (HGNC:28449)




Synonyms C11orf95

# **ZFTA Antibody (C-term) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture


# **ZFTA Antibody (C-term) - Images**



Confocal immunofluorescent analysis of ZFTA Antibody (C-term) (Cat#AP11349b) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).




ZFTA Antibody (C-term) (Cat. #AP11349b) western blot analysis in HepG2 cell line lysates





(35ug/lane). This demonstrates the ZFTA antibody detected the ZFTA protein (arrow).



ZFTA Antibody (C-term) (Cat. #AP11349b) immunohistochemistry analysis in formalin fixed and paraffin embedded human adipose tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ZFTA Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

# **ZFTA Antibody (C-term) - References**

Ota, T., et al. Nat. Genet. 36(1):40-45(2004)