

CCDC97 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11354b**Specification**

CCDC97 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	O96F63
Other Accession	NP_443080.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	38947
Antigen Region	241-269

CCDC97 Antibody (C-term) - Additional Information**Gene ID** 90324**Other Names**

Coiled-coil domain-containing protein 97, CCDC97

Target/Specificity

This CCDC97 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 241-269 amino acids from the C-terminal region of human CCDC97.

Dilution

WB~~1:1000

IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CCDC97 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CCDC97 Antibody (C-term) - Protein Information**Name** CCDC97

Function May play a role pre-mRNA splicing through the association with the splicing factor SF3B complex which is involved in branch-site recognition.

Cellular Location


Nucleus.

CCDC97 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CCDC97 Antibody (C-term) - Images



CCDC97 Antibody (C-term) (Cat. #AP11354b) western blot analysis in Y79 cell line lysates (35ug/lane). This demonstrates the CCDC97 antibody detected the CCDC97 protein (arrow).



CCDC97 Antibody (C-term) (Cat. #AP11354b) immunohistochemistry analysis in formalin fixed and paraffin embedded human esophageal carcinoma followed by peroxidase conjugation of the

secondary antibody and DAB staining. This data demonstrates the use of CCDC97 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

CCDC97 Antibody (C-term) - References

Guey, L.T., et al. Eur. Urol. 57(2):283-292(2010)
Olsen, J.V., et al. Cell 127(3):635-648(2006)