

SUSD5 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11500b**Specification**

SUSD5 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	O60279
Other Accession	NP_056366.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	68021
Antigen Region	593-621

SUSD5 Antibody (C-term) - Additional Information**Gene ID** 26032**Other Names**

Sushi domain-containing protein 5, SUSD5, KIAA0527

Target/Specificity

This SUSD5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 593-621 amino acids from the C-terminal region of human SUSD5.

Dilution

WB~~1:1000

IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SUSD5 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SUSD5 Antibody (C-term) - Protein Information**Name** SUSD5

Synonyms KIAA0527

Cellular Location


Membrane; Single-pass type I membrane protein.

SUSD5 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SUSD5 Antibody (C-term) - Images



SUSD5 Antibody (C-term) (Cat. #AP11500b) western blot analysis in ZR-75-1 cell line lysates (35ug/lane). This demonstrates the SUSD5 antibody detected the SUSD5 protein (arrow).



SUSD5 Antibody (C-term) (Cat. #AP11500b) immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SUSD5 Antibody (C-term) for

immunohistochemistry. Clinical relevance has not been evaluated.

SUSD5 Antibody (C-term) - References

Olsen, J.V., et al. Cell 127(3):635-648(2006)

Muzny, D.M., et al. Nature 440(7088):1194-1198(2006)