10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

# WDR93 Antibody (C-term)

**Affinity Purified Rabbit Polyclonal Antibody (Pab)**
**Catalog # AP11501b**

## Specification

### WDR93 Antibody (C-term) - Product Information

| | |
|---|---|
| Application | **WB, FC,E** |
| Primary Accession | Q6P2C0 |
| Other Accession | NP_064597.1 |
| Reactivity | **Human** |
| Host | **Rabbit** |
| Clonality | **Polyclonal** |
| Isotype | **Rabbit IgG** |
| Calculated MW | **77378** |
| Antigen Region | **572-600** |

### WDR93 Antibody (C-term) - Additional Information

**Gene ID** 56964

**Other Names**
WD repeat-containing protein 93, WDR93

**Target/Specificity**
This WDR93 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 572-600 amino acids from the C-terminal region of human WDR93.

**Dilution**
WB~~1:1000
FC~~1:10~50
E~~Use at an assay dependent concentration.

**Format**
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**
WDR93 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### WDR93 Antibody (C-term) - Protein Information

**Name** WDR93

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

## WDR93 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## WDR93 Antibody (C-term) - Images




WDR93 Antibody (C-term) (Cat. #AP11501b) western blot analysis in HL-60 cell line lysates (35ug/lane).This demonstrates the WDR93 antibody detected the WDR93 protein (arrow).




WDR93 Antibody (C-term) (Cat. #AP11501b) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

## WDR93 Antibody (C-term) - References

Ota, T., et al. Nat. Genet. 36(1):40-45(2004)