

ZNF28 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11536a**Specification**

ZNF28 Antibody (N-term) - Product Information

Application	WB, FC,E
Primary Accession	P17035
Other Accession	NP_008900.3
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	83658
Antigen Region	87-115

ZNF28 Antibody (N-term) - Additional Information**Gene ID** 7576**Other Names**

Zinc finger protein 28, Zinc finger protein KOX24, ZNF28, KOX24

Target/Specificity

This ZNF28 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 87-115 amino acids from the N-terminal region of human ZNF28.

Dilution

WB~~1:1000

FC~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF28 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF28 Antibody (N-term) - Protein Information**Name** ZNF28

Synonyms KOX24

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZNF28 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF28 Antibody (N-term) - Images



ZNF28 Antibody (N-term) (Cat. #AP11536a) western blot analysis in NCI-H460 cell line lysates (35ug/lane). This demonstrates the ZNF28 antibody detected the ZNF28 protein (arrow).



ZNF28 Antibody (N-term) (Cat. #AP11536a) flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZNF28 Antibody (N-term) - Background

May be involved in transcriptional regulation.

ZNF28 Antibody (N-term) - References

Rousseau-Merck, M.F., et al. Hum. Genet. 92(6):583-587(1993)
Thiesen, H.J. New Biol. 2(4):363-374(1990)