

**CPSF4L Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP11610b**

### Specification

#### CPSF4L Antibody (C-term) - Product Information

Application	WB, FC,E
Primary Accession	<a href="#">A6NMK7</a>
Other Accession	<a href="#">NP_001123357.1</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	20727
Antigen Region	150-178

#### CPSF4L Antibody (C-term) - Additional Information

**Gene ID** 642843

#### Other Names

Putative cleavage and polyadenylation specificity factor subunit 4-like protein, CPSF4L

#### Target/Specificity

This CPSF4L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 150-178 amino acids from the C-terminal region of human CPSF4L.

#### Dilution

WB~~1:1000

FC~~1:10~50

E~~Use at an assay dependent concentration.

#### Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### Precautions

CPSF4L Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

#### CPSF4L Antibody (C-term) - Protein Information


**Name** CPSF4L

## CPSF4L Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## CPSF4L Antibody (C-term) - Images



CPSF4L Antibody (C-term) (Cat. #AP11610b) western blot analysis in HeLa cell line lysates (35ug/lane). This demonstrates the CPSF4L antibody detected the CPSF4L protein (arrow).



CPSF4L Antibody (C-term) (Cat. #AP11610b) flow cytometric analysis of HeLa cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

## CPSF4L Antibody (C-term) - Background

The specific function of the protein remains unknown.

**CPSF4L Antibody (C-term) - References**

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :  
Zody, M.C., et al. Nature 440(7087):1045-1049(2006)