

KIAA1586 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11733a**Specification**

KIAA1586 Antibody (N-term) - Product Information

Application	IF, IHC-P, FC,E
Primary Accession	O9HCI6
Other Accession	NP_065982.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	187-216

KIAA1586 Antibody (N-term) - Additional Information**Gene ID** 57691**Other Names**

Uncharacterized protein KIAA1586, KIAA1586

Target/Specificity

This KIAA1586 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 187-216 amino acids from the N-terminal region of human KIAA1586.

Dilution

IF~~1:10~50
IHC-P~~1:10~50
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

KIAA1586 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

KIAA1586 Antibody (N-term) - Protein Information**Name** KIAA1586**Function** E3 SUMO-protein ligase; facilitates UBE2I/UBC9-mediated SUMO2 modification of target


proteins (PubMed:[26524493](#)).

KIAA1586 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KIAA1586 Antibody (N-term) - Images




Confocal immunofluorescent analysis of KIAA1586 Antibody (N-term)(Cat#AP11733a) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



KIAA1586 Antibody (N-term) (Cat. #AP11733a) immunohistochemistry analysis in formalin fixed and paraffin embedded human breast tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of KIAA1586 Antibody (N-term) for

immunohistochemistry. Clinical relevance has not been evaluated.



KIAA1586 Antibody (N-term) (Cat. #AP11733a) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.