

PCDHB15 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12017a

Specification

PCDHB15 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	<u>Q9Y5E8</u>
Other Accession	<u>NP_061758.1</u>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	86329
Antigen Region	113-140

PCDHB15 Antibody (N-term) - Additional Information

Gene ID 56121

Other Names Protocadherin beta-15, PCDH-beta-15, PCDHB15

Target/Specificity This PCDHB15 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 113-140 amino acids from the N-terminal region of human PCDHB15.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions PCDHB15 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

PCDHB15 Antibody (N-term) - Protein Information

Name PCDHB15

Function Potential calcium-dependent cell-adhesion protein. May be involved in the



establishment and maintenance of specific neuronal connections in the brain.

Cellular Location


Cell membrane; Single-pass type I membrane protein

PCDHB15 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

PCDHB15 Antibody (N-term) - Images



PCDHB15 Antibody (N-term) (Cat. #AP12017a) western blot analysis in MDA-MB453,Jurkat,ZR-75-1,HL-60 cell line lysates (35ug/lane).This demonstrates the PCDHB15 antibody detected the PCDHB15 protein (arrow).

PCDHB15 Antibody (N-term) - Background

This gene is a member of the protocadherin beta gene cluster, one of three related gene clusters tandemly linked on chromosome five. The gene clusters demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The beta cluster contains 16 genes and 3 pseudogenes, each encoding 6 extracellular cadherin domains and a cytoplasmic tail that deviates from others in the cadherin superfamily. The extracellular domains interact in a homophilic manner to specify differential cell-cell connections. Unlike the alpha and gamma clusters, the transcripts from these genes are made up of only one large exon, not sharing common 3' exons as expected. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins. Their specific functions are unknown but they most likely play a critical role in the establishment and function of specific



cell-cell neural connections.

PCDHB15 Antibody (N-term) - References

Vanhalst, K., et al. FEBS Lett. 495 (1-2), 120-125 (2001) : Wu, Q., et al. Genome Res. 11(3):389-404(2001) Nollet, F., et al. J. Mol. Biol. 299(3):551-572(2000) Yagi, T., et al. Genes Dev. 14(10):1169-1180(2000) Wu, Q., et al. Proc. Natl. Acad. Sci. U.S.A. 97(7):3124-3129(2000)