

NIPSNAP3B Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12094b**Specification**

NIPSNAP3B Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	O9BS92
Other Accession	O9UFN0 , NP_060846.2
Reactivity	Mouse
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	28313
Antigen Region	189-218

NIPSNAP3B Antibody (C-term) - Additional Information**Gene ID** 55335**Other Names**

Protein NipSnap homolog 3B, NipSnap3B, SNAP1, NIPSNAP3B, NIPSNAP3

Target/Specificity

This NIPSNAP3B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 189-218 amino acids from the C-terminal region of human NIPSNAP3B.

Dilution

IHC-P~~1:50~100

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


NIPSNAP3B Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

NIPSNAP3B Antibody (C-term) - Protein Information**Name** NIPSNAP3B


Synonyms NIPSNAP3**NIPSNAP3B Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

NIPSNAP3B Antibody (C-term) - Images

NIPSNAP3B Antibody (C-term) (Cat. #AP12094b) western blot analysis in mouse liver tissue lysates (35ug/lane). This demonstrates the NIPSNAP3B antibody detected the NIPSNAP3B protein (arrow).



NIPSNAP3B Antibody (C-term) (Cat. #AP12094b) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary

antibody and DAB staining. This data demonstrates the use of NIPSNAP3B Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

NIPSNAP3B Antibody (C-term) - Background

NIPSNAP3B belongs to a family of proteins with putative roles in vesicular trafficking (Buechler et al., 2004 [PubMed 15177564]).

NIPSNAP3B Antibody (C-term) - References

Lamesch, P., et al. Genomics 89(3):307-315(2007)
Buechler, C., et al. Genomics 83(6):1116-1124(2004)
Qiu, Y., et al. Genomics 73(1):66-76(2001)