

PRAMEF8 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12211b

Specification

PRAMEF8 Antibody (C-term) - Product Information

Application	FC, IHC-P, WB,E
Primary Accession	Q5VWM4
Other Accession	A6NMC2 , O95522 , NP_001012276.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	53655
Antigen Region	419-447

PRAMEF8 Antibody (C-term) - Additional Information

Gene ID 391002

Other Names

PRAME family member 8, PRAMEF8

Target/Specificity

This PRAMEF8 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 419-447 amino acids from the C-terminal region of human PRAMEF8.

Dilution

FC~~1:10~50

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PRAMEF8 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


PRAMEF8 Antibody (C-term) - Protein Information

Name PRAMEF8 ([HGNC:24074](#))


Synonyms PRAMEF24**PRAMEF8 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


PRAMEF8 Antibody (C-term) - Images

PRAMEF8 Antibody (C-term) (Cat. #AP12211b) western blot analysis in NCI-H460 cell line lysates (35ug/lane). This demonstrates the PRAMEF8 antibody detected the PRAMEF8 protein (arrow).



PRAMEF8 Antibody (C-term) (Cat. #AP12211b) immunohistochemistry analysis in formalin fixed and paraffin embedded human melanoma tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of PRAMEF8 Antibody

(C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



PRAMEF8 Antibody (C-term) (Cat. #AP12211b) flow cytometric analysis of NCI-H460 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

PRAMEF8 Antibody (C-term) - References

Gregory, S.G., et al. Nature 441(7091):315-321(2006)