

ZNF165 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12252c**Specification**

ZNF165 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	P49910
Other Accession	NP_003438.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	55771
Antigen Region	215-242

ZNF165 Antibody (Center) - Additional Information**Gene ID** 7718**Other Names**

Zinc finger protein 165, Cancer/testis antigen 53, CT53, LD65, Zinc finger and SCAN domain-containing protein 7, ZNF165, ZPF165, ZSCAN7

Target/Specificity

This ZNF165 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 215-242 amino acids from the Central region of human ZNF165.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF165 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF165 Antibody (Center) - Protein Information**Name** ZNF165

Synonyms ZPF165, ZSCAN7

Function May be involved in transcriptional regulation.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187}.

Tissue Location


Expressed specifically in testis.

ZNF165 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF165 Antibody (Center) - Images



ZNF165 Antibody (Center) (Cat. #AP12252c) western blot analysis in MCF-7 cell line lysates (35ug/lane). This demonstrates the ZNF165 antibody detected the ZNF165 protein (arrow).

ZNF165 Antibody (Center) - Background

This gene encodes a member of the Kruppel family of zinc finger proteins. Members of this DNA-binding protein family act as transcriptional regulators. This gene is located within a cluster of zinc finger family members. The encoded protein may play a role in spermatogenesis.

ZNF165 Antibody (Center) - References

Mungall, A.J., et al. Nature 425(6960):805-811(2003)
Paoloni-Giacobino, A., et al. Clin. Genet. 58(4):324-328(2000)

Lee, P.L., et al. Genomics 43(2):191-201(1997)
Tirosvoutis, K.N., et al. Genomics 28(3):485-490(1995)
Beutler, E., et al. Blood Cells Mol. Dis. 21(3):207-216(1995)