

# KRTAP25-1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12354b

### **Specification**

# KRTAP25-1 Antibody (C-term) - Product Information

Application WB, FC,E
Primary Accession Q3LHN0

Other Accession NP 001122070.1

Reactivity
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region
Reactivity
Human
Rabbit
Polyclonal
Rabbit IgG
73-102

### KRTAP25-1 Antibody (C-term) - Additional Information

Gene ID 100131902

#### **Other Names**

Keratin-associated protein 25-1, KRTAP25-1, KAP251

#### Target/Specificity

This KRTAP25-1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 73-102 amino acids from the C-terminal region of human KRTAP25-1.

### **Dilution**

WB~~1:1000 FC~~1:10~50

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

KRTAP25-1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### KRTAP25-1 Antibody (C-term) - Protein Information

Name KRTAP25-1

Synonyms KAP25.1



Tel: 858.875.1900 Fax: 858.875.1999




Function In the hair cortex, hair keratin intermediate filaments are embedded in an interfilamentous matrix, consisting of hair keratin- associated proteins (KRTAP), which are essential for the formation of a rigid and resistant hair shaft through their extensive disulfide bond cross-linking with abundant cysteine residues of hair keratins. The matrix proteins include the high-sulfur and high-glycine-tyrosine keratins (By similarity).

## KRTAP25-1 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## KRTAP25-1 Antibody (C-term) - Images



KRTAP25-1 Antibody (C-term) (Cat. #AP12354b) western blot analysis in Jurkat cell line lysates (35ug/lane).This demonstrates the KRTAP25-1 antibody detected the KRTAP25-1 protein (arrow).





Tel: 858.875.1900 Fax: 858.875.1999

KRTAP25-1 Antibody (C-term) (Cat. #AP12354b) flow cytometric analysis of Jurkat cells (right compared to a negative control cell histogram).FITC-conjugated histogram) (left donkey-anti-rabbit secondary antibodies were used for the analysis.

# KRTAP25-1 Antibody (C-term) - Background

In the hair cortex, hair keratin intermediate filaments are embedded in an interfilamentous matrix, consisting of hair keratin-associated proteins (KRTAP), which are essential for the formation of a rigid and resistant hair shaft through their extensive disulfide bond cross-linking with abundant cysteine residues of hair keratins. The matrix proteins include the high-sulfur and high-glycine-tyrosine keratins (By similarity).

# KRTAP25-1 Antibody (C-term) - References

Hattori, M., et al. Nature 405(6784):311-319(2000)