

ZNF417 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12356c**Specification**

ZNF417 Antibody (Center) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q8TAU3
Other Accession	Q96SQ5 , NP_689688.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	65733
Antigen Region	136-164

ZNF417 Antibody (Center) - Additional Information**Gene ID** 147687**Other Names**

Zinc finger protein 417, ZNF417

Target/Specificity

This ZNF417 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 136-164 amino acids from the Central region of human ZNF417.

Dilution

WB~~1:1000

IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF417 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF417 Antibody (Center) - Protein Information**Name** ZNF417**Function** May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF417 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF417 Antibody (Center) - Images



ZNF417 Antibody (Center) (Cat. #AP12356c) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the ZNF417 antibody detected the ZNF417 protein (arrow).



ZNF417 Antibody (Center) (Cat. #AP12356c) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary

antibody and DAB staining. This data demonstrates the use of ZNF417 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

ZNF417 Antibody (Center) - Background

ZNF417 may be involved in transcriptional regulation.

ZNF417 Antibody (Center) - References

Suzuki, Y., et al. Genome Res. 14(9):1711-1718(2004)