

SOX15 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12473c

Specification

SOX15 Antibody (Center) - Product Information

Application WB, IHC-P,E **Primary Accession** 060248 Other Accession NP 008873.1 Human, Mouse Reactivity Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 25251 Antigen Region 96-125

SOX15 Antibody (Center) - Additional Information

Gene ID 6665

Other Names

Protein SOX-15, Protein SOX-12, Protein SOX-20, SOX15, SOX12, SOX20, SOX26, SOX27

Target/Specificity

This SOX15 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 96-125 amino acids from the Central region of human SOX15.

Dilution

WB~~1:1000 IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SOX15 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SOX15 Antibody (Center) - Protein Information

Name SOX15



Synonyms SOX12, SOX20, SOX26, SOX27

Function Transcription factor that binds to DNA at the 5'-AACAATG-3' consensus sequence (By similarity). Acts as a transcriptional activator and repressor (By similarity). Binds synergistically with POU5F1 (OCT3/4) to gene promoters (By similarity). Binds to the FOXK1 promoter and recruits FHL3, resulting in transcriptional activation of FOXK1 which leads to myoblast proliferation (By similarity). Acts as an inhibitor of myoblast differentiation via transcriptional repression which leads to down-regulation of the muscle-specific genes MYOD and MYOG (By similarity). Involved in trophoblast giant cell differentiation via enhancement of HAND1 transcriptional activity (By similarity). Regulates transcription of HRC via binding to it proximal enhancer region (By similarity). Involved in skeletal muscle regeneration (By similarity). Also plays a role in the development of myogenic precursor cells (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00267}.

Tissue Location


Widely expressed in fetal and adult tissues examined, highest level found in fetal spinal cord and adult brain and testis.

SOX15 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


SOX15 Antibody (Center) - Images




SOX15 Antibody (Center) (Cat. #AP12473c) western blot analysis in human placenta and mouse brain tissue lysates (35ug/lane). This demonstrates the SOX15 antibody detected the SOX15



protein (arrow).



Anti-SOX15 Antibody (Center) at 1:1000 dilution + human brain lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 25 kDa Blocking/Dilution buffer: 5% NFDM/TBST.



SOX15 Antibody (Center) (Cat. #AP12473c)immunohistochemistry analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of SOX15 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

SOX15 Antibody (Center) - Background

This gene encodes a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. The encoded protein may act as a transcriptional regulator after forming a protein complex with other proteins. [provided by RefSeq].

SOX15 Antibody (Center) - References

Sakai, N., et al. J. Endocrinol. 198(3):489-497(2008) Yan, H.T., et al. Mol. Cells 24(3):323-328(2007) Schepers, G.E., et al. Dev. Cell 3(2):167-170(2002) Wilson, M., et al. Curr. Opin. Genet. Dev. 12(4):441-446(2002) Miyashita, A., et al. Gene 237(1):53-60(1999)