

LRRC28 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12528b**Specification**

LRRC28 Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q86X40
Other Accession	Q32KX5 , NP_653199.2
Reactivity	Human, Mouse
Predicted	Bovine
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	41912
Antigen Region	314-342

LRRC28 Antibody (C-term) - Additional Information**Gene ID** 123355**Other Names**

Leucine-rich repeat-containing protein 28, LRRC28

Target/Specificity

This LRRC28 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 314-342 amino acids from the C-terminal region of human LRRC28.

Dilution

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LRRC28 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


LRRC28 Antibody (C-term) - Protein Information**Name** LRRC28

LRRC28 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LRRC28 Antibody (C-term) - Images



LRRC28 Antibody (C-term) (Cat. #AP12528b) western blot analysis in A549, HepG2 cell line and mouse heart tissue lysates (35ug/lane). This demonstrates the LRRC28 antibody detected the LRRC28 protein (arrow).



LRRC28 Antibody (C-term) (Cat. #AP12528b) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of LRRC28 Antibody (C-term) for

immunohistochemistry. Clinical relevance has not been evaluated.

LRRC28 Antibody (C-term) - Background

LRRC28 contains 11 LRR (leucine-rich) repeats. The function of the LRRC28 protein is not known.

LRRC28 Antibody (C-term) - References

Lamesch, P., et al. Genomics 89(3):307-315(2007)

Clark, H.F., et al. Genome Res. 13(10):2265-2270(2003)