

F105A Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12625C**Specification**

F105A Antibody (Center) - Product Information

Application	FC, WB,E
Primary Accession	O9NUU6
Other Accession	NP_061891.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	42196
Antigen Region	196-224

F105A Antibody (Center) - Additional Information**Gene ID** 54491**Other Names**

Inactive ubiquitin thioesterase FAM105A, FAM105A

Target/Specificity

This F105A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 196-224 amino acids from the Central region of human F105A.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

F105A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

F105A Antibody (Center) - Protein Information**Name** OTULINL {ECO:0000303|PubMed:31056421, ECO:0000312|HGNC:HGNC:25629}

Function Lacks deubiquitinase activity.

Cellular Location


Cytoplasm. Endoplasmic reticulum membrane; Peripheral membrane protein. Nucleus envelope

F105A Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

F105A Antibody (Center) - Images



F105A Antibody (Center) (Cat. #AP12625c) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the F105A antibody detected the F105A protein (arrow).



F105A Antibody (Center) (Cat. #AP12625c) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

F105A Antibody (Center) - Background

The exact functions of this protein remain unknown.

F105A Antibody (Center) - References

Lamesch, P., et al. Genomics 89(3):307-315(2007)