

CLDN2 Antibody (C-term Y195)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12632b**Specification**

CLDN2 Antibody (C-term Y195) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	P57739
Other Accession	NP_001164566.1 , NP_065117.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	24549
Antigen Region	174-201

CLDN2 Antibody (C-term Y195) - Additional Information**Gene ID** 9075**Other Names**

Claudin-2, SP82, CLDN2

Target/Specificity

This CLDN2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 174-201 amino acids from the C-terminal region of human CLDN2.

Dilution

WB~~1:1000
IHC-P~~1:10~50
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CLDN2 Antibody (C-term Y195) is for research use only and not for use in diagnostic or therapeutic procedures.

CLDN2 Antibody (C-term Y195) - Protein Information**Name** CLDN2

Function Plays a major role in tight junction-specific obliteration of the intercellular space, through calcium-independent cell-adhesion activity.

Cellular Location


Cell junction, tight junction {ECO:0000250|UniProtKB:O88552}. Cell membrane {ECO:0000250|UniProtKB:O88552}; Multi-pass membrane protein {ECO:0000250|UniProtKB:O88552}

CLDN2 Antibody (C-term Y195) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CLDN2 Antibody (C-term Y195) - Images



Western blot analysis of CLDN2 (arrow) using rabbit polyclonal CLDN2 Antibody (Y195) (Cat. #AP12632b). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the CLDN2 gene.



CLDN2 Antibody (C-term Y195) (Cat. #AP12632b) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of CLDN2 Antibody (C-term Y195) for immunohistochemistry. Clinical relevance has not been evaluated.



CLDN2 Antibody (C-term Y195) (Cat. #AP12632b) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

CLDN2 Antibody (C-term Y195) - Background

This gene product belongs to the claudin protein family whose members have been identified as major integral membrane proteins localized exclusively at tight junctions. Claudins are expressed in an organ-specific manner and regulate tissue-specific physiologic properties of tight junctions. This protein is expressed in the intestine. Alternatively spliced transcript variants with different 5' untranslated region have been found for this gene.

CLDN2 Antibody (C-term Y195) - References

Smith, A.J., et al. J. Acquir. Immune Defic. Syndr. 55(3):306-315(2010)
Kojima, F., et al. Oncol. Rep. 23(4):927-931(2010)
Szakal, D.N., et al. Virchows Arch. 456(3):245-250(2010)
Buchert, M., et al. Proc. Natl. Acad. Sci. U.S.A. 107(6):2628-2633(2010)
Mankertz, J., et al. Cell Tissue Res. 336(1):67-77(2009)