10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CB044 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12671a

Specification

CB044 Antibody (N-term) - Product Information

Application	**WB, IHC-P,E**
Primary Accession	Q9H6R7
Other Accession	NP_001135791.1, NP_079479.1
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**79136**
Antigen Region	**23-52**

CB044 Antibody (N-term) - Additional Information

Gene ID 80304

Other Names
WD repeat-containing protein C2orf44, C2orf44

Target/Specificity
This CB044 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 23-52 amino acids from the N-terminal region of human CB044.

Dilution
WB~~1:1000
IHC-P~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
CB044 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CB044 Antibody (N-term) - Protein Information

Name WDCP (HGNC:26157)

Synonyms C2orf44

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CB044 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CB044 Antibody (N-term) - Images



CB044 Antibody (N-term) (Cat. #AP12671a) western blot analysis in HL-60 cell line lysates (35ug/lane).This demonstrates the CB044 antibody detected the CB044 protein (arrow).



CB044 Antibody (N-term) (Cat. #AP12671a)immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of CB044 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CB044 Antibody (N-term) - Background

The function of this protein remains unknown.

CB044 Antibody (N-term) - References

Lowe, J.K., et al. PLoS Genet. 5 (2), E1000365 (2009) : Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) : Scott, M.P., et al. J. Biol. Chem. 277(31):28238-28246(2002)