

**CO040 Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP12677b**

### Specification

#### CO040 Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	<a href="#">Q8WUR7</a>
Other Accession	<a href="#">Q50514</a> , <a href="#">Q9CRC3</a> , <a href="#">Q3ZBP8</a> , <a href="#">NP_653198.2</a>
Reactivity	Human
Predicted	Bovine, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	16353
Antigen Region	72-100

#### CO040 Antibody (C-term) - Additional Information

Gene ID 123207

#### Other Names

UPF0235 protein C15orf40, C15orf40

#### Target/Specificity

This CO040 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 72-100 amino acids from the C-terminal region of human CO040.

#### Dilution

IHC-P~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

#### Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### Precautions

CO040 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

#### CO040 Antibody (C-term) - Protein Information


Name C15orf40

## CO040 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## CO040 Antibody (C-term) - Images



CO040 Antibody (C-term) (Cat. #AP12677b) western blot analysis in Ramos cell line lysates (35ug/lane). This demonstrates the CO040 antibody detected the CO040 protein (arrow).



CO040 Antibody (C-term) (Cat. #AP12677b) immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary

antibody and DAB staining. This data demonstrates the use of CO040 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

#### **CO040 Antibody (C-term) - Background**

The function of this protein remains unknown.