

LRRN4CL Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12701c**Specification**

LRRN4CL Antibody (Center) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q8ND94
Other Accession	Q3TYX2 , NP_981967.1
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	25262
Antigen Region	117-146

LRRN4CL Antibody (Center) - Additional Information**Gene ID** 221091**Other Names**

LRRN4 C-terminal-like protein, LRRN4CL

Target/Specificity

This LRRN4CL antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 117-146 amino acids from the Central region of human LRRN4CL.

Dilution

WB~~1:1000

IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LRRN4CL Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

LRRN4CL Antibody (Center) - Protein Information**Name** LRRN4CL


Cellular Location

Membrane; Single-pass type I membrane protein


LRRN4CL Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LRRN4CL Antibody (Center) - Images

Western blot analysis of lysate from human ovary tissue lysate, using LRRN4CL Antibody (Center)(Cat. #AP12701c). AP12701c was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug per lane.



LRRN4CL Antibody (Center) (Cat. #AP12701c) immunohistochemistry analysis in formalin fixed and paraffin embedded human uterus tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of LRRN4CL Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

LRRN4CL Antibody (Center) - Background

LRRN4CL contains one fibronectin type-III domain.

LRRN4CL Antibody (Center) - References

Clark, H.F., et al. Genome Res. 13(10):2265-2270(2003)