

BEND7 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12776b**Specification**

BEND7 Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q8N7W2
Other Accession	NP_689964.2 , NP_001094382.1
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	46204
Antigen Region	319-348

BEND7 Antibody (C-term) - Additional Information**Gene ID** 222389**Other Names**

BEN domain-containing protein 7, BEND7, C10orf30

Target/Specificity

This BEND7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 319-348 amino acids from the C-terminal region of human BEND7.

Dilution

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


BEND7 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

BEND7 Antibody (C-term) - Protein Information**Name** BEND7


Synonyms C10orf30**BEND7 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BEND7 Antibody (C-term) - Images

BEND7 Antibody (C-term) (Cat. #AP12776b) western blot analysis in mouse liver tissue lysates (35ug/lane). This demonstrates the BEND7 antibody detected the BEND7 protein (arrow).



BEND7 Antibody (C-term) (Cat. #AP12776b) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary

antibody and DAB staining. This data demonstrates the use of BEND7 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

BEND7 Antibody (C-term) - References

Venkatesan, K., et al. Nat. Methods 6(1):83-90(2009)
Grupe, A., et al. Am. J. Hum. Genet. 78(1):78-88(2006)
Deloukas, P., et al. Nature 429(6990):375-381(2004)