

**HIPK4 Antibody**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP12924a****Specification**

---

**HIPK4 Antibody - Product Information**

Application	IHC-P, WB,E
Primary Accession	<a href="#">Q8NE63</a>
Other Accession	<a href="#">NP_653286.2</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	69425

**HIPK4 Antibody - Additional Information****Gene ID** 147746**Other Names**

Homeodomain-interacting protein kinase 4, HIPK4

**Target/Specificity**

This HIPK4 antibody is generated from rabbits immunized with a recombinant protein from human HIPK4.

**Dilution**

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

HIPK4 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**HIPK4 Antibody - Protein Information****Name** HIPK4

**Function** Protein kinase that phosphorylates human TP53 at Ser-9, and thus induces TP53 repression of BIRC5 promoter (By similarity). May act as a corepressor of transcription factors

(Potential).

#### **Cellular Location**


Cytoplasm.

#### **HIPK4 Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **HIPK4 Antibody - Images**



Anti-HIPK4 Antibody at 1:1000 dilution + human testis lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 69 kDa Blocking/Dilution buffer: 5% NFDm/TBST.



HIPK4 Antibody (Cat. #AP12924a) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of HIPK4 Antibody for immunohistochemistry. Clinical relevance has not been evaluated.

**HIPK4 Antibody - Background**

HIPK4 is a protein kinase that phosphorylates human TP53 at Ser-9, and thus induces TP53 repression of BIRC5 promoter (By similarity). May act as a corepressor of transcription factors (Potential).

**HIPK4 Antibody - References**

Arai, S., et al. FEBS Lett. 581(29):5649-5657(2007)