

CES8 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12964b**Specification**

CES8 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q5XG92
Other Accession	NP_776176.4
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	63529
Antigen Region	533-561

CES8 Antibody (C-term) - Additional Information**Gene ID** 283848**Other Names**

Carboxylesterase 4A, 311-, CES4A, CES8

Target/Specificity

This CES8 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 533-561 amino acids from the C-terminal region of human CES8.

Dilution

WB~~1:1000

IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


CES8 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CES8 Antibody (C-term) - Protein Information**Name** CES4A


Synonyms CES8**Function** Probable carboxylesterase.**Cellular Location**
Secreted.**CES8 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CES8 Antibody (C-term) - Images

CES8 Antibody (C-term) (Cat. #AP12964b) western blot analysis in Sk-Br-3,T47D cell line lysates (35ug/lane).This demonstrates the CES8 antibody detected the CES8 protein (arrow).



CES8 Antibody (C-term) (Cat. #AP12964b) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of CES8 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

CES8 Antibody (C-term) - Background

CES8 is probable carboxylesterase (By similarity).