

ZNF227 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13326a**Specification**

ZNF227 Antibody (N-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q86WZ6
Other Accession	NP_872296.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	92033
Antigen Region	1-30

ZNF227 Antibody (N-term) - Additional Information**Gene ID** 7770**Other Names**

Zinc finger protein 227, ZNF227

Target/Specificity

This ZNF227 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human ZNF227.

Dilution

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF227 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF227 Antibody (N-term) - Protein Information**Name** ZNF227

Function May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF227 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF227 Antibody (N-term) - Images



ZNF227 Antibody (N-term) (Cat. #AP13326a) western blot analysis in HL-60 cell line lysates (35ug/lane). This demonstrates the ZNF227 antibody detected the ZNF227 protein (arrow).



ZNF227 Antibody (N-term) (Cat. #AP13326a) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ZNF227 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

ZNF227 Antibody (N-term) - Background

ZNF227 may be involved in transcriptional regulation.

ZNF227 Antibody (N-term) - References

Tompkins, V., et al. Cell Cycle 5(6):641-646(2006)
Shannon, M., et al. Genome Res. 13 (6A), 1097-1110 (2003) :
Abrink, M., et al. DNA Cell Biol. 14(2):125-136(1995)