

SNX29 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13339B**Specification**

SNX29 Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q8TEQ0
Other Accession	Q9D3S3 , Q08DX0 , NP_001073999.2
Reactivity	Human
Predicted	Bovine, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	91254
Antigen Region	710-739

SNX29 Antibody (C-term) - Additional Information**Gene ID** 92017**Other Names**

Sorting nexin-29, RUN domain-containing protein 2A, SNX29, RUNDC2A

Target/Specificity

This SNX29 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 710-739 amino acids from the C-terminal region of human SNX29.

Dilution

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions


SNX29 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SNX29 Antibody (C-term) - Protein Information**Name** SNX29


Synonyms RUNDC2A**SNX29 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SNX29 Antibody (C-term) - Images

SNX29 Antibody (C-term) (Cat. #AP13339b) western blot analysis in K562,MDA-MB453 cell line lysates (35ug/lane).This demonstrates the SNX29 antibody detected the SNX29 protein (arrow).



SNX29 Antibody (C-term) (Cat. #AP13339b)immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary

antibody and DAB staining. This data demonstrates the use of SNX29 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

SNX29 Antibody (C-term) - Background

The specific function of this protein remains unknown.

SNX29 Antibody (C-term) - References

Seet, L.F., et al. Biochim. Biophys. Acta 1761(8):878-896(2006)
Loftus, B.J., et al. Genomics 60(3):295-308(1999)