

ZNF764 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13365C

Specification

ZNF764 Antibody (Center) - Product Information

Application WB, IHC-P,E
Primary Accession Q96H86

Other Accession NP 001166150.1, NP 219363.2

Reactivity
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region

Human
Rabbit
Polyclonal
Rabbit IgG
A4943
84-113

ZNF764 Antibody (Center) - Additional Information

Gene ID 92595

Other Names

Zinc finger protein 764, ZNF764

Target/Specificity

This ZNF764 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 84-113 amino acids from the Central region of human ZNF764.

Dilution

WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF764 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF764 Antibody (Center) - Protein Information

Name ZNF764 (HGNC:28200)

Function Zinc finger protein that functions as a cofactor for steroid hormone receptors, such as





Tel: 858.875.1900 Fax: 858.875.1999

NR3C1/GR (PubMed: 28139699). Directs NR3C1/GR transcriptional activity toward specific biologic pathways by changing NR3C1/GR binding and transcriptional activity on the glucocorticoidresponsive genes (PubMed: 28139699).


Cellular Location Nucleus.

ZNF764 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF764 Antibody (Center) - Images



ZNF764 Antibody (Center) (Cat. #AP13365c) western blot analysis in CEM cell line lysates (35ug/lane). This demonstrates the ZNF764 antibody detected the ZNF764 protein (arrow).





ZNF764 Antibody (Center) (Cat. #AP13365c)immunohistochemistry analysis in formalin fixed and paraffin embedded human cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ZNF764 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

ZNF764 Antibody (Center) - Background

ZNF764 may be involved in transcriptional regulation.