

ZNF764 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13365C**Specification**

ZNF764 Antibody (Center) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q96H86
Other Accession	NP_001166150.1 , NP_219363.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	44943
Antigen Region	84-113

ZNF764 Antibody (Center) - Additional Information**Gene ID** 92595**Other Names**

Zinc finger protein 764, ZNF764

Target/Specificity

This ZNF764 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 84-113 amino acids from the Central region of human ZNF764.

Dilution

IHC-P~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF764 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF764 Antibody (Center) - Protein Information**Name** ZNF764 ([HGNC:28200](#))

Function Zinc finger protein that functions as a cofactor for steroid hormone receptors, such as NR3C1/GR (PubMed:[28139699](#)). Directs NR3C1/GR transcriptional activity toward specific biologic pathways by changing NR3C1/GR binding and transcriptional activity on the glucocorticoid-responsive genes (PubMed:[28139699](#)).

Cellular Location


Nucleus.

ZNF764 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF764 Antibody (Center) - Images



ZNF764 Antibody (Center) (Cat. #AP13365c) western blot analysis in CEM cell line lysates (35ug/lane). This demonstrates the ZNF764 antibody detected the ZNF764 protein (arrow).



ZNF764 Antibody (Center) (Cat. #AP13365c) immunohistochemistry analysis in formalin fixed and paraffin embedded human cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ZNF764 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

ZNF764 Antibody (Center) - Background

ZNF764 may be involved in transcriptional regulation.