

DNAJC28 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13593B

Specification

DNAJC28 Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	Q9NX36
Other Accession	NP_001035282.1 , NP_060303.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	45806
Antigen Region	343-372

DNAJC28 Antibody (C-term) - Additional Information

Gene ID 54943

Other Names

Dnaj homolog subfamily C member 28, DNAJC28, C21orf55, C21orf78

Target/Specificity

This DNAJC28 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 343-372 amino acids from the C-terminal region of human DNAJC28.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

DNAJC28 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

DNAJC28 Antibody (C-term) - Protein Information

Name DNAJC28

Synonyms C21orf55, C21orf78

Function May have a role in protein folding or as a chaperone.

Tissue Location


Expressed in the fetal and adult brain, testis, uterus, spleen and liver

DNAJC28 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DNAJC28 Antibody (C-term) - Images



DNAJC28 Antibody (C-term) (Cat. #AP13593b) western blot analysis in MDA-MB435 cell line lysates (35ug/lane). This demonstrates the DNAJC28 antibody detected the DNAJC28 protein (arrow).

DNAJC28 Antibody (C-term) - Background

DNAJC28 may have a role in protein folding or as a chaperone.

DNAJC28 Antibody (C-term) - References

Gardiner, K., et al. Genomics 79(6):833-843(2002)