

## **NLRP12 Antibody (N-term)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14014a

# **Specification**

## NLRP12 Antibody (N-term) - Product Information

Application WB, IHC-P,E Primary Accession P59046

Other Accession NP 653288.1, NP 150639.1

Reactivity
Human
Host
Clonality
Polyclonal
Isotype
Rabbit IgG
Antigen Region
Region
Ruman
Rabbit
Rabbit
Polyclonal
Rabbit IgG

## NLRP12 Antibody (N-term) - Additional Information

#### **Gene ID 91662**

## **Other Names**

NACHT, LRR and PYD domains-containing protein 12, Monarch-1, PYRIN-containing APAF1-like protein 7, Regulated by nitric oxide, NLRP12, NALP12, PYPAF7, RNO

## Target/Specificity

This NLRP12 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 183-212 amino acids from the N-terminal region of human NLRP12.

# **Dilution**

WB~~1:1000 IHC-P~~1:10~50

E~~Use at an assay dependent concentration.

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

NLRP12 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# NLRP12 Antibody (N-term) - Protein Information

#### Name NLRP12



# Synonyms NALP12, PYPAF7, RNO

**Function** Plays an essential role as an potent mitigator of inflammation (PubMed:30559449). Primarily expressed in dendritic cells and macrophages, inhibits both canonical and non-canonical NF-kappa-B and ERK activation pathways (PubMed:15489334, PubMed:17947705). Functions as a negative regulator of NOD2 by targeting it to degradation via the proteasome pathway (PubMed:30559449). In turn, promotes bacterial tolerance (PubMed:30559449). Also inhibits the RIGI- mediated immune signaling against RNA viruses by reducing the E3 ubiquitin ligase TRIM25-mediated 'Lys-63'-linked RIGI activation but enhancing the E3 ubiquitin ligase RNF125-mediated 'Lys-48'-linked RIGI degradation (PubMed:30902577). Also acts as a negative regulator of inflammatory response to mitigate obesity and obesity-associated diseases in adipose tissue (By similarity).

# Cellular Location Cytoplasm.

#### **Tissue Location**


Detected only in peripheral blood leukocytes, predominantly in eosinophils and granulocytes, and at lower levels in monocytes.

## NLRP12 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# NLRP12 Antibody (N-term) - Images



NLRP12 Antibody (N-term) (Cat. #AP14014a) western blot analysis in human placenta tissue lysates (35ug/lane). This demonstrates the NLRP12 antibody detected the NLRP12 protein (arrow).





NLRP12 Antibody (N-term) (AP14014a)immunohistochemistry analysis in formalin fixed and paraffin embedded human pancreas tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of NLRP12 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

# NLRP12 Antibody (N-term) - Background

This gene encodes a member of the CATERPILLER family of cytoplasmic proteins. The encoded protein, which contains an N-terminal pyrin domain, a NACHT domain, a NACHT-associated domain, and a C-terminus leucine-rich repeat region, functions as an attenuating factor of inflammation by suppressing inflammatory responses in activated monocytes. Alternatively spliced transcript variants encoding distinct isoforms have been described but the full-length nature of some of these has not been determined.

## NLRP12 Antibody (N-term) - References

Bailey, S.D., et al. Diabetes Care (2010) In press:
Cummings, J.R., et al. Tissue Antigens 76(1):48-56(2010)
Talmud, P.J., et al. Am. J. Hum. Genet. 85(5):628-642(2009)
Fahy, R.J., et al. Am. J. Respir. Crit. Care Med. 177(9):983-988(2008)
Jeru, I., et al. Proc. Natl. Acad. Sci. U.S.A. 105(5):1614-1619(2008)
NLRP12 Antibody (N-term) - Citations

• NLRP12 modulates host defense through IL-17A-CXCL1 axis.