

Mouse Map3k10 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14262a

Specification

Mouse Map3k10 Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q66L42
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	103187
Antigen Region	110-138

Mouse Map3k10 Antibody (N-term) - Additional Information

Gene ID 269881

Other Names

Mitogen-activated protein kinase kinase kinase 10, Map3k10

Target/Specificity

This Mouse Map3k10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 110-138 amino acids from the N-terminal region of mouse Map3k10.

Dilution

WB~~1:1000

IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Map3k10 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Map3k10 Antibody (N-term) - Protein Information

Name Map3k10


Function Activates the JUN N-terminal pathway.

Mouse Map3k10 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mouse Map3k10 Antibody (N-term) - Images



Mouse Map3k10 Antibody (N-term) (Cat. #AP14262a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the Map3k10 antibody detected the Map3k10 protein (arrow).



Mouse Map3k10 Antibody (N-term) (AP14262a) immunohistochemistry analysis in formalin fixed and paraffin embedded mouse skeletal muscle followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of Mouse Map3k10 Antibody

(N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Mouse Map3k10 Antibody (N-term) - Background

Map3k10 activates the JUN N-terminal pathway (By similarity).