

Mouse Nek4 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14273a

Specification

Mouse Nek4 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	Q9Z1J2
Other Accession	P51957 , NP_035979.1
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	88994
Antigen Region	74-101

Mouse Nek4 Antibody (N-term) - Additional Information

Gene ID 23955

Other Names

Serine/threonine-protein kinase Nek4, Never in mitosis A-related kinase 4, NimA-related protein kinase 4, Serine/threonine-protein kinase 2, Nek4, Stk2

Target/Specificity

This Mouse Nek4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 74-101 amino acids from the N-terminal region of mouse Nek4.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Nek4 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Nek4 Antibody (N-term) - Protein Information

Name Nek4

Synonyms Stk2

Function Required for normal entry into proliferative arrest after a limited number of cell divisions, also called replicative senescence. Required for normal cell cycle arrest in response to double-stranded DNA damage (By similarity). Protein kinase that seems to act exclusively upon threonine residues.

Cellular Location

Cytoplasm. Cell projection, cilium {ECO:0000250|UniProtKB:P51957}

Tissue Location


Expressed ubiquitously among various organs and is up-regulated in the testis.

Mouse Nek4 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mouse Nek4 Antibody (N-term) - Images



Mouse Nek4 Antibody (N-term) (Cat. #AP14273a) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the Nek4 antibody detected the Nek4 protein (arrow).



Mouse Nek4 Antibody (N-term) (Cat. #AP14273a) western blot analysis in mouse testis tissue lysates (35ug/lane). This demonstrates the Nek4 antibody detected the Nek4 protein (arrow).

Mouse Nek4 Antibody (N-term) - Background

Nek4 seems to act exclusively upon threonine residues.

Mouse Nek4 Antibody (N-term) - References

Doles, J., et al. Cancer Res. 70(3):1033-1041(2010)
Forrest, A.R., et al. Genome Res. 13 (6B), 1366-1375 (2003) :
Hayashi, K., et al. Biochem. Biophys. Res. Commun. 264(2):449-456(1999)
Chen, A., et al. Gene 234(1):127-137(1999)