

FOXP4 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14361b

Specification

FOXP4 Antibody (C-term) - Product Information

Application IHC-P, WB,E
Primary Accession Q8IVH2

Other Accession Q9DBY0, NP 001012426.1

Reactivity
Predicted
Host
Clonality
Isotype
Calculated MW
Antigen Region

Human
Mouse
Rabbit
Polyclonal
Rabbit IgG
73488
522-550

FOXP4 Antibody (C-term) - Additional Information

Gene ID 116113

Other Names

Forkhead box protein P4, Fork head-related protein-like A, FOXP4, FKHLA

Target/Specificity

This FOXP4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 522-550 amino acids from the C-terminal region of human FOXP4.

Dilution

IHC-P~~1:10~50 WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

FOXP4 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

FOXP4 Antibody (C-term) - Protein Information

Name FOXP4



Synonyms FKHLA

Function Transcriptional repressor that represses lung-specific expression.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00089}.

FOXP4 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FOXP4 Antibody (C-term) - Images



FOXP4 Antibody (C-term) (Cat. #AP14361b) western blot analysis in 293 cell line lysates (35ug/lane). This demonstrates the FOXP4 antibody detected the FOXP4 protein (arrow).





FOXP4 Antibody (C-term) (AP14361b)immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FOXP4 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

FOXP4 Antibody (C-term) - Background

This gene belongs to subfamily P of the forkhead box (FOX) transcription factor family. Forkhead box transcription factors play important roles in the regulation of tissue- and cell type-specific gene transcription during both development and adulthood. Many members of the forkhead box gene family, including members of subfamily P, have roles in mammalian oncogenesis. This gene may play a role in the development of tumors of the kidney and larynx. Alternative splicing of this gene produces multiple transcript variants, some encoding different isoforms. [provided by RefSeq].

FOXP4 Antibody (C-term) - References

Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010) Takata, R., et al. Nat. Genet. 42(9):751-754(2010) Davila, S., et al. Genes Immun. 11(3):232-238(2010) Talmud, P.J., et al. Am. J. Hum. Genet. 85(5):628-642(2009) Tuovinen, H., et al. J. Immunol. 180(6):3651-3654(2008)