

Mouse Stk32b Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14776b

Specification

Mouse Stk32b Antibody (C-term) - Product Information

Application	IHC-P, WB,E
Primary Accession	Q9JJX8
Other Accession	NP_071861.1
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	47916
Antigen Region	315-343

Mouse Stk32b Antibody (C-term) - Additional Information

Gene ID 64293

Other Names

Serine/threonine-protein kinase 32B, Stk32b {ECO:0000312|MGI:MGI:1927552}

Target/Specificity

This Mouse Stk32b antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 315-343 amino acids from the C-terminal region of mouse Stk32b.

Dilution

IHC-P~1:10~50

WB~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Stk32b Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Stk32b Antibody (C-term) - Protein Information


Name Stk32b {ECO:0000312|MGI:MGI:1927552}

Mouse Stk32b Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Mouse Stk32b Antibody (C-term) - Images



Mouse Stk32b Antibody (C-term) (Cat. #AP14776b) western blot analysis in mouse kidney tissue lysates (35ug/lane). This demonstrates the Stk32b antibody detected the Stk32b protein (arrow).



Mouse Stk32b Antibody (C-term) (AP14776b) immunohistochemistry analysis in formalin fixed and paraffin embedded mouse cerebellum tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of Mouse Stk32b Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Mouse Stk32b Antibody (C-term) - Background

The function of this protein remains unknown.

Mouse Stk32b Antibody (C-term) - References

Ruiz-Perez, V.L., et al. Nat. Genet. 24(3):283-286(2000)