

OR5H2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16087b

Specification

OR5H2 Antibody (C-term) - Product Information

Application WB,E
Primary Accession Q8NGV7

Other Accession NP_001005482.1

Reactivity
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region

Human
Rabbit
Polyclonal
Rabbit IgG
283-312

OR5H2 Antibody (C-term) - Additional Information

Gene ID 79310

Other Names

Olfactory receptor 5H2, Olfactory receptor OR3-10, OR5H2

Target/Specificity

This OR5H2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 283-312 amino acids from the C-terminal region of human OR5H2.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

OR5H2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

OR5H2 Antibody (C-term) - Protein Information

Name OR5H2

Function Odorant receptor.



Cellular Location


Cell membrane; Multi-pass membrane protein.

OR5H2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

OR5H2 Antibody (C-term) - Images



OR5H2 Antibody (C-term) (Cat. #AP16087b) western blot analysis in human placenta tissue lysates (35ug/lane). This demonstrates the OR5H2 antibody detected the OR5H2 protein (arrow).

OR5H2 Antibody (C-term) - Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

OR5H2 Antibody (C-term) - References

Daly, A.K., et al. Nat. Genet. 41(7):816-819(2009)
Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)