

SOX11 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16147a

Specification

SOX11 Antibody (N-term) - Product Information

Application WB,E
Primary Accession P35716

Other Accession <u>P48435</u>, <u>NP 003099.1</u>

Reactivity
Predicted
Chicken
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region
Chicken
Rabbit
Polyclonal
Rabbit IgG
103-132

SOX11 Antibody (N-term) - Additional Information

Gene ID 6664

Other Names

Transcription factor SOX-11, SOX11

Target/Specificity

This SOX11 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 103-132 amino acids from the N-terminal region of human SOX11.

Dilution

WB~~1:2000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SOX11 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SOX11 Antibody (N-term) - Protein Information

Name SOX11



Tel. 000.075. 1900 Fax. 000.075. 1999

Function Transcription factor that acts as a transcriptional activator (PubMed: 24886874, PubMed: 26543203). Binds cooperatively with POU3F2/BRN2 or POU3F1/OCT6 to gene promoters, which enhances transcriptional activation (By similarity). Acts as a transcriptional activator of TEAD2 by binding to its gene promoter and first intron (By similarity). Plays a redundant role with SOX4 and SOX12 in cell survival of developing tissues such as the neural tube, branchial arches and somites, thereby contributing to organogenesis (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00267, ECO:0000269|PubMed:24886874, ECO:0000269|PubMed:35938035}

Tissue Location


Expressed primarily in the brain and heart, with low expression in the kidney, pancreas and muscle

SOX11 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

SOX11 Antibody (N-term) - Images



SOX11 Antibody (N-term) (Cat. #AP16147a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the SOX11 antibody detected the SOX11 protein (arrow).





All lanes : Anti-SOX11 Antibody (N-term) at 1:2000 dilution Lane 1: rat brain lysates Lane 2: human brain lysates Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size : 47 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

SOX11 Antibody (N-term) - Background

This intronless gene encodes a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. The encoded protein may act as a transcriptional regulator after forming a protein complex with other proteins. The protein may function in the developing nervous system and play a role in tumorigenesis.

SOX11 Antibody (N-term) - References

Kottgen, A., et al. Nat. Genet. 42(5):376-384(2010) Fernandez, V., et al. Cancer Res. 70(4):1408-1418(2010) Dictor, M., et al. Haematologica 94(11):1563-1568(2009) Mozos, A., et al. Haematologica 94(11):1555-1562(2009) Hide, T., et al. Cancer Res. 69(20):7953-7959(2009)