

TNNT2 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16580c

Specification

TNNT2 Antibody (Center) - Product Information

Application WB,E
Primary Accession P45379

Other Accession <u>P09741, P50752, NP 001001431.1</u>,

NP_001001430.1

Reactivity Human, Mouse

Predicted Rabbit
Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Antigen Region 182-211

TNNT2 Antibody (Center) - Additional Information

Gene ID 7139

Other Names

Troponin T, cardiac muscle, TnTc, Cardiac muscle troponin T, cTnT, TNNT2

Target/Specificity

This TNNT2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 182-211 amino acids from the Central region of human TNNT2.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TNNT2 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

TNNT2 Antibody (Center) - Protein Information

Name TNNT2





Tel: 858.875.1900 Fax: 858.875.1999

Function Troponin T is the tropomyosin-binding subunit of troponin, the thin filament regulatory complex which confers calcium-sensitivity to striated muscle actomyosin ATPase activity.

Tissue Location


Heart. The fetal heart shows a greater expression in the atrium than in the ventricle, while the adult heart shows a greater expression in the ventricle than in the atrium. Isoform 6 predominates in normal adult heart. Isoforms 1, 7 and 8 are expressed in fetal heart. Isoform 7 is also expressed in failing adult heart

TNNT2 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


TNNT2 Antibody (Center) - Images



TNNT2 Antibody (Center) (Cat. #AP16580c) western blot analysis in mouse heart tissue lysates (35ug/lane). This demonstrates the TNNT2 antibody detected the TNNT2 protein (arrow).

TNNT2 Antibody (Center) - Background

The protein encoded by this gene is the tropomyosin-binding subunit of the troponin complex, which is located on the thin filament of striated muscles and regulates muscle contraction in response to alterations in intracellular calcium ion concentration. Mutations in this gene have been associated with familial hypertrophic cardiomyopathy as well as with dilated cardiomyopathy. Transcripts for this gene undergo alternative splicing that results in many tissue-specific isoforms, however, the full-length nature of some of these variants has not vet been determined.





TNNT2 Antibody (Center) - References

Millat, G., et al. Clin. Chim. Acta 411 (23-24), 1983-1991 (2010): Bailey, S.D., et al. Diabetes Care 33(10):2250-2253(2010)
Millat, G., et al. Eur J Med Genet 53(5):261-267(2010)
Watt, K.D., et al. Liver Transpl. 16(8):990-998(2010)
Koide, K., et al. Heart Vessels 25(3):217-222(2010)