

ZNF498 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16701c**Specification**

ZNF498 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q6NSZ9
Other Accession	NP_660090.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	61474
Antigen Region	165-193

ZNF498 Antibody (Center) - Additional Information**Gene ID** 221785**Other Names**

Zinc finger and SCAN domain-containing protein 25, Zinc finger protein 498, ZSCAN25, ZNF498

Target/Specificity

This ZNF498 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 165-193 amino acids from the Central region of human ZNF498.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF498 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF498 Antibody (Center) - Protein Information**Name** ZSCAN25**Synonyms** ZNF498

Function May be involved in transcriptional regulation.

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187}.

ZNF498 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF498 Antibody (Center) - Images



ZNF498 Antibody (Center) (Cat. #AP16701c) western blot analysis in Jurkat cell line lysates (35ug/lane). This demonstrates the ZNF498 antibody detected the ZNF498 protein (arrow).

ZNF498 Antibody (Center) - Background

This gene encodes a protein that bears some similarity to zinc finger proteins, which are involved in DNA binding and protein-protein interactions. Multiple alternatively spliced transcript variants have been identified, but the full-length nature for most of them has not been determined. [provided by RefSeq].

ZNF498 Antibody (Center) - References

Polasek, O., et al. Croat. Med. J. 50(1):7-16(2009)
Thompson, E.E., et al. Pharmacogenomics J. 6(2):105-114(2006)
Laity, J.H., et al. Curr. Opin. Struct. Biol. 11(1):39-46(2001)