

ZNF350 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16724c**Specification**

ZNF350 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	O9GZX5
Other Accession	NP_067645.3
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	60011
Antigen Region	176-204

ZNF350 Antibody (Center) - Additional Information**Gene ID** 59348**Other Names**

Zinc finger protein 350, KRAB zinc finger protein ZFQR, Zinc finger and BRCA1-interacting protein with a KRAB domain 1, Zinc finger protein ZBRK1, ZNF350, ZBRK1

Target/Specificity

This ZNF350 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 176-204 amino acids from the Central region of human ZNF350.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF350 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF350 Antibody (Center) - Protein Information**Name** ZNF350

Synonyms ZBRK1

Function Transcriptional repressor. Binds to a specific sequence, 5'- GGGxxxCAGxxxTTT-3', within GADD45 intron 3.

Cellular Location

Nucleus. Nucleus matrix. Note=Associated with the nuclear matrix


Tissue Location

Widely expressed..

ZNF350 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF350 Antibody (Center) - Images

ZNF350 Antibody (Center) (Cat. #AP16724c) western blot analysis in NCI-H292 cell line lysates (35ug/lane). This demonstrates the ZNF350 antibody detected the ZNF350 protein (arrow).

ZNF350 Antibody (Center) - Background

ZNF350 is a transcriptional repressor. It binds to a specific sequence, 5'-GGGxxxCAGxxxTTT-3', within GADD45 intron 3.

ZNF350 Antibody (Center) - References

Liao, C.C., et al. J. Biol. Chem. 285(43):33134-33143(2010)
Ho-Pun-Cheung, A., et al. Pharmacogenomics J. (2010) In press :
Yarden, R.I., et al. Mol. Carcinog. 49(6):545-555(2010)
Rajaraman, P., et al. Neuro-oncology 12(1):37-48(2010)

Groner, A.C., et al. PLoS Genet. 6 (3), E1000869 (2010) :