

MRPL1 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16945a

Specification

MRPL1 Antibody (N-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB,E <u>Q9BYD6</u> <u>A60P05</u>, <u>NP_064621.3</u> Human Bovine Rabbit Polyclonal Rabbit IgG 36909 70-97

MRPL1 Antibody (N-term) - Additional Information

Gene ID 65008

Other Names 39S ribosomal protein L1, mitochondrial, L1mt, MRP-L1, MRPL1

Target/Specificity

This MRPL1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 70-97 amino acids from the N-terminal region of human MRPL1.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

MRPL1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

MRPL1 Antibody (N-term) - Protein Information

Name MRPL1



Cellular Location


Mitochondrion {ECO:0000250|UniProtKB:A6QPQ5, ECO:0000305|PubMed:11279069}

MRPL1 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

MRPL1 Antibody (N-term) - Images



MRPL1 Antibody (N-term) (Cat. #AP16945a) western blot analysis in MCF-7 cell line lysates (35ug/lane).This demonstrates the MRPL1 antibody detected the MRPL1 protein (arrow).

MRPL1 Antibody (N-term) - Background

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein that belongs to the L1 ribosomal protein family.

MRPL1 Antibody (N-term) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) : Lamesch, P., et al. Genomics 89(3):307-315(2007)



Zhang, Z., et al. Genomics 81(5):468-480(2003) Kenmochi, N., et al. Genomics 77 (1-2), 65-70 (2001) : Suzuki, T., et al. J. Biol. Chem. 276(24):21724-21736(2001)