

ZNF419 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP17941c**Specification**

ZNF419 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	O96HQ0
Other Accession	O6PK81 , NP_001091962.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	58564
Antigen Region	176-202

ZNF419 Antibody (Center) - Additional Information**Gene ID** 79744**Other Names**

Zinc finger protein 419, ZNF419, ZNF419A

Target/Specificity

This ZNF419 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 176-202 amino acids from the Central region of human ZNF419.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF419 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF419 Antibody (Center) - Protein Information**Name** ZNF419**Synonyms** ZNF419A

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZNF419 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF419 Antibody (Center) - Images



ZNF419 Antibody (Center) (Cat. #AP17941c) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the ZNF419 antibody detected the ZNF419 protein (arrow).

ZNF419 Antibody (Center) - Background

ZNF419 may be involved in transcriptional regulation.

ZNF419 Antibody (Center) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :