

DYTN Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18199b**Specification**

DYTN Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	A2CJ06
Other Accession	NP_001087199.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	65320
Antigen Region	419-447

DYTN Antibody (C-term) - Additional Information**Gene ID** 391475**Other Names**

Dystrotelin, DYTN

Target/Specificity

This DYTN antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 419-447 amino acids from the C-terminal region of human DYTN.

Dilution

WB~~1:500

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

DYTN Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

DYTN Antibody (C-term) - Protein Information**Name** DYTN**Cellular Location**


Cell membrane.

DYTN Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DYTN Antibody (C-term) - Images



Anti-DYTN Antibody (C-term) at 1:500 dilution + CCRF-CEM whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 65 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

DYTN Antibody (C-term) - Background

The function of this protein remains unknown.

DYTN Antibody (C-term) - References

Jin, H., et al. BMC Genomics 8, 19 (2007) :