

SERPINB11 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18302c

Specification

SERPINB11 Antibody (Center) - Product Information

WB,E
<u>Q96P15</u>
Human
Rabbit
Polyclonal
Rabbit IgG
44092
170-196

SERPINB11 Antibody (Center) - Additional Information

Gene ID 89778

Other Names Serpin B11, SERPINB11

Target/Specificity

This SERPINB11 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 170-196 amino acids from the Central region of human SERPINB11.

Dilution WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions SERPINB11 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SERPINB11 Antibody (Center) - Protein Information

Name SERPINB11

Function Has no serine protease inhibitory activity, probably due to variants in the scaffold impairing conformational change.



Cellular Location Cytoplasm.

Tissue Location

Detected in a restricted number of tissues, including lung, placenta, prostate, and tonsil

SERPINB11 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

SERPINB11 Antibody (Center) - Images



SERPINB11 Antibody (Center) (Cat. #AP18302c) western blot analysis in Hela cell line lysates (35ug/lane).This demonstrates the SERPINB11 antibody detected the SERPINB11 protein (arrow).

SERPINB11 Antibody (Center) - Background

SerpinB11 is a serine proteinase inhibitor of the ovalbumin-like B clade of serpins. It was first discovered in human lung and prostate. Little is known about SerpinB11 tissue distribution and function. Splice variants of 305, 278 and 190 amino acids have been reported, with predicted masses of 33.97, 31.6 and 21.1 kDa respectively, and pls of 8.11, 9.03 and 6.07 respectively. The 305 and 190 amino acid forms share the same aminoterminus as the 392 amino acid form. The 305 amino acid form has a deletion in residues 120-206, of the 392 amino acid form. The 190 amino acid form has a deletion in residues 57-259 relative to the long form. The 278 amino acid form starts at the third methionine, relative to the long form. All four forms contain the reactive center loop of the long form, but it is unknown if the shorter forms are active serpins. The predicted isoelectric points of SerpinB11 are significantly more basic than the other B clade serpins, and suggest a different localization or function for this serpin.