

CAMSAP3 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18323a

Specification

CAMSAP3 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	O9P1Y5
Other Accession	NP_065953.1
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	134750
Antigen Region	103-131

CAMSAP3 Antibody (N-term) - Additional Information

Gene ID 57662

Other Names

Calmodulin-regulated spectrin-associated protein 3, Protein Nezha, CAMSAP3, KIAA1543

Target/Specificity

This CAMSAP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 103-131 amino acids from the N-terminal region of human CAMSAP3.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CAMSAP3 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CAMSAP3 Antibody (N-term) - Protein Information

Name CAMSAP3 ([HGNC:29307](#))

Function Key microtubule-organizing protein that specifically binds the minus-end of

non-centrosomal microtubules and regulates their dynamics and organization (PubMed:[19041755](#), PubMed:[23169647](#)). Specifically recognizes growing microtubule minus-ends and autonomously decorates and stabilizes microtubule lattice formed by microtubule minus-end polymerization (PubMed:[24486153](#)). Acts on free microtubule minus-ends that are not capped by microtubule-nucleating proteins or other factors and protects microtubule minus-ends from depolymerization (PubMed:[24486153](#)). In addition, it also reduces the velocity of microtubule polymerization (PubMed:[24486153](#)). Required for the biogenesis and the maintenance of zonula adherens by anchoring the minus-end of microtubules to zonula adherens and by recruiting the kinesin KIFC3 to those junctional sites (PubMed:[19041755](#)). Required for orienting the apical-to-basal polarity of microtubules in epithelial cells: acts by tethering non-centrosomal microtubules to the apical cortex, leading to their longitudinal orientation (PubMed:[26715742](#), PubMed:[27802168](#)). Plays a key role in early embryos, which lack centrosomes: accumulates at the microtubule bridges that connect pairs of cells and enables the formation of a non-centrosomal microtubule-organizing center that directs intracellular transport in the early embryo (By similarity). Couples non-centrosomal microtubules with actin: interaction with MACF1 at the minus ends of non-centrosomal microtubules, tethers the microtubules to actin filaments, regulating focal adhesion size and cell migration (PubMed:[27693509](#)). Plays a key role in the generation of non-centrosomal microtubules by accumulating in the pericentrosomal region and cooperating with KATNA1 to release non-centrosomal microtubules from the centrosome (PubMed:[28386021](#)). Through the microtubule cytoskeleton, also regulates the organization of cellular organelles including the Golgi and the early endosomes (PubMed:[28089391](#)). Through interaction with AKAP9, involved in translocation of Golgi vesicles in epithelial cells, where microtubules are mainly non-centrosomal (PubMed:[28089391](#)). Plays an important role in motile cilia function by facilitating proper orientation of basal bodies and formation of central microtubule pairs in motile cilia (By similarity).

Cellular Location


Cytoplasm, cytoskeleton. Cell junction, adherens junction. Cytoplasm Cytoplasm, cytoskeleton, cilium axoneme {ECO:0000250|UniProtKB:Q80VC9} Cytoplasm, cytoskeleton, cilium basal body {ECO:0000250|UniProtKB:Q80VC9}. Note=Scattered in the cytoplasm, associated with the minus-end of microtubules and also detected at the centrosomes (PubMed:19041755, PubMed:24486153, PubMed:27693509) Decorates the minus-end of microtubules by decreasing the rate of tubulin incorporation and remaining bound (PubMed:24486153). Localizes along zonula adherens only at mature cell-cell contacts (PubMed:19041755). In early embryos, accumulates at the microtubule bridges that connect pairs of cells: this structure is present in early embryos, which lack centrosomes (By similarity). This cytokinetic bridge does not undergo stereotypical abscission after cell division (By similarity). Accumulates to the pericentrosomal region following interaction with KATNA1 (PubMed:28386021) {ECO:0000250|UniProtKB:Q80VC9, ECO:0000269|PubMed:19041755, ECO:0000269|PubMed:24486153, ECO:0000269|PubMed:27693509, ECO:0000269|PubMed:28386021}

CAMSAP3 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CAMSAP3 Antibody (N-term) - Images



CAMSAP3 Antibody (N-term) (Cat. #AP18323a) western blot analysis in mouse cerebellum tissue lysates (35ug/lane). This demonstrates the CAMSAP3 Antibody detected the CAMSAP3 protein (arrow).

CAMSAP3 Antibody (N-term) - Background

Microtubule minus-end binding protein that acts as a regulator of microtubule dynamics. Specifically required for zonula adherens biogenesis and maintenance by anchoring microtubules at their minus-ends to zonula adherens, leading to recruit KIFC3 kinesin to junctional site.

CAMSAP3 Antibody (N-term) - References

Meng, W., et al. Cell 135(5):948-959(2008)
Akhmanova, A., et al. Cell 135(5):791-793(2008)
Olsen, J.V., et al. Cell 127(3):635-648(2006)
Beausoleil, S.A., et al. Nat. Biotechnol. 24(10):1285-1292(2006)
Beausoleil, S.A., et al. Proc. Natl. Acad. Sci. U.S.A. 101(33):12130-12135(2004)

CAMSAP3 Antibody (N-term) - Citations

- [Wdr47 Controls Neuronal Polarization through the Camsap Family Microtubule Minus-End-Binding Proteins](#)