

BRP16 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18500c**Specification**

BRP16 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q9BTY7
Other Accession	P0CB43 , NP_057542.2
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	42129
Antigen Region	254-280

BRP16 Antibody (Center) - Additional Information**Gene ID** 51236**Other Names**

Protein HGH1 homolog, HGH1, C8orf30A, C8orf30B, FAM203A, FAM203B

Target/Specificity

This BRP16 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 254-280 amino acids from the Central region of human BRP16.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

BRP16 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.


BRP16 Antibody (Center) - Protein Information**Name** HGH1**Synonyms** C8orf30A, C8orf30B, FAM203A, FAM203B

BRP16 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BRP16 Antibody (Center) - Images



BRP16 Antibody (Center) (Cat. #AP18500c) western blot analysis in mouse kidney tissue lysates (35ug/lane). This demonstrates the BRP16 antibody detected the BRP16 protein (arrow).



Anti-BRP16 Antibody (Center) at 1:1000 dilution + ZR-75-1 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 42 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

BRP16 Antibody (Center) - Background

The function of this protein remains unknown.

BRP16 Antibody (Center) - References

Stelzl, U., et al. Cell 122(6):957-968(2005)