

SNX8 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18514b**Specification**

SNX8 Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	Q9Y5X2
Other Accession	Q8CFD4 , Q2KHV6 , NP_037453.1
Reactivity	Human, Mouse
Predicted	Bovine
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	52569
Antigen Region	318-344

SNX8 Antibody (C-term) - Additional Information**Gene ID** 29886**Other Names**

Sorting nexin-8, SNX8

Target/Specificity

This SNX8 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 318-344 amino acids from the C-terminal region of human SNX8.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SNX8 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SNX8 Antibody (C-term) - Protein Information**Name** SNX8

Function May be involved in several stages of intracellular trafficking. May play a role in intracellular protein transport from early endosomes to the trans-Golgi network.

Cellular Location


Early endosome membrane; Peripheral membrane protein; Cytoplasmic side. Note=Colocalizes with retromer components

SNX8 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SNX8 Antibody (C-term) - Images



SNX8 Antibody (C-term) (Cat. #AP18514b) western blot analysis in mouse bladder tissue lysates (35ug/lane). This demonstrates the SNX8 antibody detected the SNX8 protein (arrow).

SNX8 Antibody (C-term) - Background

SNX8 may be involved in several stages of intracellular trafficking (By similarity).

SNX8 Antibody (C-term) - References

Dyve, A.B., et al. Biochem. Biophys. Res. Commun. 390(1):109-114(2009)
Wu, C., et al. Proteomics 7(11):1775-1785(2007)
Worby, C.A., et al. Nat. Rev. Mol. Cell Biol. 3(12):919-931(2002)
Teasdale, R.D., et al. Biochem. J. 358 (PT 1), 7-16 (2001) :