

ZNF212 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18653a

Specification

ZNF212 Antibody (N-term) - Product Information

WB,E Application **Primary Accession 09UDV6** NP 036388.2 Other Accession Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 55447 Antigen Region 118-146

ZNF212 Antibody (N-term) - Additional Information

Gene ID 7988

Other Names

Zinc finger protein 212, Zinc finger protein C2H2-150, ZNF212, ZNFC150

Target/Specificity

This ZNF212 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 118-146 amino acids from the N-terminal region of human ZNF212.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF212 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF212 Antibody (N-term) - Protein Information

Name ZNF212

Synonyms ZNFC150



Function May be involved in transcriptional regulation.


Cellular Location Nucleus.

ZNF212 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF212 Antibody (N-term) - Images



ZNF212 Antibody (N-term) (Cat. #AP18653a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the ZNF212 antibody detected the ZNF212 protein (arrow).

ZNF212 Antibody (N-term) - Background

This gene belongs to the C2H2-type zinc finger gene family. The zinc finger proteins are involved in gene regulation and development, and are quite conserved throughout evolution. Like this gene product, a third of the zinc finger proteins containing C2H2 fingers also contain the KRAB domain, which has been found to be involved in protein-protein interactions.

ZNF212 Antibody (N-term) - References

Gao, J., et al. Genomics 91(4):347-355(2008) Becker, K.G., et al. Genomics 41(3):502-504(1997) Becker, K.G., et al. Hum. Mol. Genet. 4(4):685-691(1995)