

RHOH Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP18968B**Specification**

RHOH Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	Q15669
Other Accession	NP_004301.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	21331
Antigen Region	155-184

RHOH Antibody (C-term) - Additional Information**Gene ID** 399**Other Names**

Rho-related GTP-binding protein RhoH, GTP-binding protein TTF, Translocation three four protein, RHOH, ARHH, TTF

Target/Specificity

This RHOH antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 155-184 amino acids from the C-terminal region of human RHOH.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

RHOH Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

RHOH Antibody (C-term) - Protein Information**Name** RHOH**Synonyms** ARHH, TTF

Function Negative regulator of hematopoietic progenitor cell proliferation, survival and migration. Critical regulator of thymocyte development and T-cell antigen receptor (TCR) signaling by mediating recruitment and activation of ZAP70. Required for phosphorylation of CD3Z, membrane translocation of ZAP70 and subsequent activation of the ZAP70-mediated pathways. Essential for efficient beta-selection and positive selection by promoting the ZAP70-dependent phosphorylation of the LAT signalosome during pre-TCR and TCR signaling. Crucial for thymocyte maturation during DN3 to DN4 transition and during positive selection. Plays critical roles in mast cell function by facilitating phosphorylation of SYK in Fc epsilon RI-mediated signal transduction. Essential for the phosphorylation of LAT, LCP2, PLCG1 and PLCG2 and for Ca(2+) mobilization in mast cells (By similarity). Binds GTP but lacks intrinsic GTPase activity and is resistant to Rho-specific GTPase-activating proteins. Inhibits the activation of NF-kappa-B by TNF and IKKB and the activation of CRK/p38 by TNF. Inhibits activities of RAC1, RHOA and CDC42. Negatively regulates leukotriene production in neutrophils.

Cellular Location

Cytoplasm. Cell membrane; Lipid-anchor; Cytoplasmic side. Note=Colocalizes together with ZAP70 in the immunological synapse.

Tissue Location


Expressed only in hematopoietic cells. Present at very high levels in the thymus, less abundant in the spleen, and least abundant in the bone marrow. Expressed at a higher level in the TH1 subtype of T-helper cells than in the TH2 subpopulation. Expressed in neutrophils under inflammatory conditions, such as cystic fibrosis, ulcerative colitis and appendicitis.

RHOH Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

RHOH Antibody (C-term) - Images



RHOH Antibody (C-term) (Cat. #AP18968b) western blot analysis in ZR-75-1 cell line lysates

(35ug/lane). This demonstrates the RHOH antibody detected the RHOH protein (arrow).

RHOH Antibody (C-term) - Background

The protein encoded by this gene is a member of the Ras superfamily of small GTPases. Expression of a chimeric transcript of LAZ3 and this gene has been reported as a result of the translocation t(3;4) in non-Hodgkin's lymphomas. This gene encodes a small G-like protein, and unlike most other small G proteins which are expressed ubiquitously, this gene is transcribed only in hemopoietic cells.

RHOH Antibody (C-term) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :
Schmidt-Mende, J., et al. Eur. J. Immunol. 40(2):525-529(2010)
Sanchez-Aguilera, A., et al. Leukemia 24(1):97-104(2010)
Daryadel, A., et al. J. Immunol. 182(10):6527-6532(2009)
Iwasaki, T., et al. Eur. J. Haematol. 81(6):454-460(2008)